

3G / 802.11n Wireless Portable Router



3G/3.5G Broadband Sharing


PLANET Wireless 3G Portable Broadband Router, WNRT-300G, provides home, SOHO and Business users a reliable and cost effective wireless solution by featuring 3G / WAN Internet access and high speed IEEE 802.11n wireless transmission. The WNRT-300G is equipped with one USB port for connection to mobile network of UMTS / HSPA via 3G/3.5G USB modem, and one WAN port for wired cable / xDSL service connection. The WNRT-300G provides more flexible and easier way for users to share an instant wireless network service via 3G modem wherever at Home, Hotspot, or in public places like transportation, outdoor events, and etc.

Multiple Wireless Network Technologies for Greater Access

PLANET Wireless Portable Broadband Router, the WNRT-300G features 802.11b/g/n radio with 1T1R antenna technology. Compared with general wireless routers, the WNRT-300G offers more powerful and flexible capability for business demands to access Internet with true mobility and range extension of wireless network.

More Flexibility and Mobility

With the tiny-sized and stylish design, the WNRT-300G is easy to carry for the true mobility. It can operate in various environments via the hardware switch modes including **AP**, **Router**, and **Client**, which helps to immediately set up a wireless network without software configuration. The portable design and operation flexibility make the WNRT-300G suitable for travelling, moving and outdoor applications.




Built-in High Capacity Battery

In addition to powering by the adapter, the WNRT-300G has one built-in rechargeable Li-ion battery which can be recharged directly via mini USB interface. It is convenient for mobile Internet Access even when there is no power outlet available.

One-touch Secure Wireless Connection

In order to simplify security settings for home and SOHO network, the WNRT-300G supports **Wi-Fi Protected Setup (WPS)** with configuration in PBC and PIN type. Just push the WPS button or key in the PIN code, the secure connection between the WNRT-300G and the wireless clients can be built immediately, which offers users a convenient and fast method to construct a secure wireless network.

WPS (Wi-Fi Protected Setup) Quick & Easy Wireless Connection



Wide Range of Wireless Security Support

To secure the wireless communication, the WNRT-300G supports most up-to-date encryptions including WPA/WPA2-PSK with TKIP/AES. Made to fulfill enterprise and various applications demand, the WNRT-300G enhances security and management features such as multiple SSID and IEEE 802.1Q VLAN support. It can create up to 5 virtual standalone AP with 5 different SSID according to individual security levels and encryption scheme of various wireless devices. Even more, the VLAN support allows multiple SSID to access Internal VLAN topology.

Advanced Firewall Security

In the Router mode, the WNRT-300G supports NAT functions and allows multiple users to access Internet via only one single legal IP. It provides Port Forwarding and DMZ for LAN PC to act as an application server. Furthermore, the advanced firewall by the WNRT-300G can protect your Intranet clients from unauthorized accesses and various DoS attacks from the Internet. In aspect of the firewall, the WNRT-300G provides IP/ MAC/ Port/ URL filtering, and prevents possible hackers attack.

Easy Setup Anytime Anywhere


The WNRT-300G provides a total solution for home and business users. With the high speed 802.11n wireless technology, the WNRT-300G is easy to integrate the wireless devices with existing wired network.



APPLICATIONS

Share Mobile Wireless Network Anywhere and Anytime

Via connecting USB 3G/3.5G Modem to the WNRT-300G, you can enjoy surfing the Internet instantly. The WNRT-300G applies 802.11n technology to provide stronger wireless signal, higher data transmission rate and performance than 802.11g devices. Furthermore, featuring the latest security and firewall functions, the WNRT-300G helps to prevent unauthorized access or invasion. You can relax to get in the secure wireless network and enjoy high speed Internet transmission anywhere, anytime.



KEY FEATURES

3G / 3.75G MOBILE INTERNET CONNECTION

- Dual Network Interfaces: WAN port for cable or wired xDSL service + 3G mobile connection
- Compatible with UMTS / HSPA Mobile Network

INDUSTRIAL COMPLIANT WIRELESS LAN & LAN

- Compliant with IEEE 802.11n wireless technology capable of up to 150Mbps data rate
- Backward compatible with 802.11b/g standard
- Equipped with one 10/100Mbps RJ-45 Ethernet port for LAN/WAN, Auto MDI/MDI-X supported

WIRELESS NETWORK RANGE EXTENDER

- Multiple Wireless Modes: AP, WDS, Repeater, Universal Repeater, Client
- Supports WMM (Wi-Fi Multimedia), Wireless QoS
- Supports IAPP (Inter Access Point Protocol), Wireless Roaming

FIXED-NETWORK BROADBAND ROUTER

- Supported Internet types: Dynamic IP/ Static IP/ PPPoE/ L2TP/ PPTP
- Supports Static & Dynamic (RIP1 and 2) Routing
- Supports IP / MAC-Based Bandwidth Control
- Supports 802.1d STP & IGMP Proxy

SECURE NETWORK CONNECTION

- Advanced security: 64/128-bit WEP, WPA-Enterprise/ WPA2-Enterprise and WPA-PSK/WPA2-PSK with TKIP/AES Encryption, 802.1x Authentication
- Built-in NAT firewall features with Port/ IP/ MAC/ URL Filtering, and DoS protection
- Supports 802.1Q VLAN

ADVANCED NETWORKING FUNCTION FOR SPECIFIC APPLICATION

- Supports multiple sessions IPSec, L2TP, PPTP, and IPv6 VPN pass-through
- Supports Port Forwarding, DMZ, UPnP and Dynamic DNS for various networking applications
- Supports DHCP Server

EASY TO INSTALL & MANAGEMENT

- Web-Based UI and setup Wizard for easy configuration
- System status monitoring includes DHCP Client and System Log

FLEXIBLE APPLICATION & BUSINESS-ORIENTED DESIGN

- Portable and Pocket-sized design for true mobility
- Hardware switchable operation modes: Router / AP / Client
- One-touch Wi-Fi Protected Setup (WPS)
- Built-in rechargeable Li-ion battery

SPECIFICATION

Product	3G / 802.11n Wireless Portable Router	
Model	WNRT-300G	
Hardware Specification		
Interface	LAN/WAN	1 x 10/100Mbps Auto MDI/MDI-X RJ45 port
	USB	1 x USB 2.0 port for UMTS / HSPA 3G Modem
Antenna	Gain	1 x Internal 2dBi Antenna
	Orientation	Omni-directional
Button/Switch	Front panel (from left to right):	
	- Mode Selection Switch (Router / Client / AP) - WPS Button - Power On / Off Switch Rear panel: - Reset button *Push for above 5 seconds to reset to factory default settings	
LED Indicators	Power, Wireless LAN Active, WPS Active, WAN/LAN Link, 3G Active, Battery Charge	
Material	Plastic	
Wireless interface Specification		
Standard	Compliant with IEEE 802.11b/g/n	
Frequency Band	2.4~2.4835GHz	
Extend Frequency	DSSS	
Modulation Type	DBPSK, DQPSK, QPSK, CCK and OFDM (BPSK/QPSK/16-QAM/ 64-QAM)	
Data Transmission Rates	11n: Up to 150Mbps (Dynamic)	
	11g: Up to 54Mbps (Dynamic)	
	11b: Up to 11Mbps (Dynamic)	

Transmission Distance	Indoor up to 100m outdoor up to 300m (Depending on the environment)
Channel	America/ FCC: 2.412~2.462GHz (11 Channels) Europe/ ETSI: 2.412~2.472GHz (13 Channels) Japan/ TELEC: 2.412~2.484GHz (14 Channels)
Max. RF Power	20 dBm (EIRP)
Receive Sensitivity	135M: -68dBm@10% PER 54M: -68dBm@10% PER 11M: -85dBm@8% PER
Software Features	
Operation Mode	<ul style="list-style-type: none"> ■ AP ■ Router ■ Client (Switchable by hardware)
Wireless Mode	AP, WDS, Repeater (WDS+AP), Universal Repeater (AP+Client)
Encryption Security	WEP (64/128-bit) encryption security WPA-Enterprise / WPA2-Enterprise (TKIP/AES) WPA-Personal / WPA2-Personal (TKIP/AES) 802.1x Authentication
Wireless Security	Provides wireless LAN ACL (Access Control List) filtering Wireless MAC address filtering Supports WPS (Wi-Fi Protected Setup) Enable/Disable SSID Broadcast Enable / Disable SSID Broadcast
Wireless Advanced	WMM (Wi-Fi Multimedia): 802.11e Wireless QoS IAPP (Inter Access Point Protocol): 802.11f Wireless Roaming Provides Wireless Statistics
Internet Connection Type	Shares data and Internet access by supporting the following types of internet access: <ul style="list-style-type: none"> - 3G - PPPoE - Dynamic IP - Static IP - PPTP - L2TP
Firewall	NAT firewall with SPI (Stateful Packet Inspection) Built-in NAT server supporting Port Forwarding, and DMZ Built-in firewall with IP address/ MAC address/ Port/ URL filtering Supports ICMP-FLOOD, UDP-FLOOD, TCP-SYN-FLOOD filter, DoS protection Supports 802.1Q VLAN up to 4
Routing Protocol	Static / Dynamic (RIP1 and 2) Routing
VPN Pass-through	PPTP, L2TP, IPSec, IPv6
LAN	Built-in DHCP server supporting static IP address distributing Supports UPnP, Dynamic DNS Supports IGMP Proxy Supports 802.1d STP (Spanning Tree) IP / MAC-Based Bandwidth Control
System Management	Web-Based (HTTP) management interface SNTP time synchronize Easy firmware upgrade System Log supports Remote Log
Standards Conformance	
IEEE Standards	IEEE 802.11n (1T1R, up to 150Mbps) IEEE 802.11g IEEE 802.11b IEEE 802.11i IEEE 802.3 10Base-T IEEE 802.3u 100Base-TX IEEE 802.3x Flow Control
Other Protocols and Standards	CSMA/CA, CSMA/CD, TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP

ORDERING INFORMATION

WNRT-300G	3G / 802.11n Wireless Portable Router
------------------	---------------------------------------

RELATED PRODUCTS

WNL-U554	802.11n Wireless USB 2.0 Adapter
WNL-U554A	802.11n Wireless USB 2.0 Adapter External 3dBi Antenna
WNL-U554M	802.11n Micro Wireless USB 2.0 Adapter
WNL-9501	802.11n Wireless PCI Express Adapter

* To have best performance and wireless connection, sincerely advice to match the above related products.